

Patient	Last name:
	First name:
	Birth date: <input type="checkbox"/> Bilateral <input type="checkbox"/> Left <input type="checkbox"/> Right
	Date cast:
Practitioner	Last Name:
	First Name:
	Title/Credentials:
	Email: Phone:
Billing	Customer/Business name:
	Street address:
	City: State: Zip:
	PO# / UCAN#:
	<input type="checkbox"/> Shipping info is the same as Billing info. -OR- Shipping contact name: Facility name: Street address: City: State: Zip:

Finished Brace Angles

ANKLE ALIGNMENT (Dorsiflexion-Plantarflexion)

☐ Correct to 3-4° DF ☐ Correct to _____° ☐ DF ☐ PF ☐ Do not correct (cast alignment OK)

HINDFOOT ALIGNMENT

☐ Correct to vertical (if misaligned) ☐ Do not correct

FOREFOOT ALIGNMENT

NOTE: Drawings show finished orthosis

Choose forefoot alignment. Write posting height if needed— in. or mm.

RIGHT 	RIGHT 	RIGHT 	LEFT 	LEFT 	LEFT
Valgus	Varus	Neutral	Neutral	Varus	Valgus
<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> _____	<input type="checkbox"/> _____
<input type="checkbox"/> Do not correct - keep as cast.			<input type="checkbox"/> Do not correct - keep as cast.		


Bottom Stabilization

- ☐ None— **Standard**
☐ Heel **-OR-** ☐ Midfoot **-OR-** ☐ Both **-OR-**
☐ Entire bottom stabilized with foam sole **-OR-**
☐ Entire bottom with non-skid cover only **-OR-**
☐ Entire bottom stabilized with both foam sole **and** non-skid cover

NOTE: Varus or valgus forefoot alignments will receive stabilization on bottom of brace to support posted (raised) region

NOTE: Neutral forefoot alignments will not see foam on toe shelf

Construction | Features | Options



NOTE: If you don't choose an option, you will receive the **Standard**.

Posterior Height: ☐ ¾ to ¾ of lower leg length (**Standard**) ☐ Specify: _____

NOTE: Cast height must be greater than brace height.

Posterior Strut: ☐ Moderately flexible (**Standard**) ☐ Very flexible
☐ Semi-rigid ☐ Very rigid

Padding: Shaded areas above are **Standard**

☐ Add extra navicular padding (bone pronators)

Padding Color: ☐ White (**Standard**) ☐ Other: _____

Straps: **Standard** (see drawing) ☐ Add toe abduction strap
☐ Change anterior strap to non-stretch

Strap Color: ☐ White (**Standard**) ☐ Other: _____


Transfer Pattern: ☐ No Transfer (**Standard**)

☐ Pattern: _____

NOTE: Additional cost per brace.

Toe Shelf

☐ **Flexible — no containment** **Standard**
 Medial containment ☐ Soft foam (flexible)
☐ Plastic
 AND / OR
 Lateral containment ☐ Soft foam (flexible)
☐ Plastic



Special Instructions

☐ **Rush order** (adds \$20)

Thank you!