

Patient	Last name:
	First name:
	Birth date: <input type="checkbox"/> Bilateral <input type="checkbox"/> Left <input type="checkbox"/> Right
	Date cast:
Practitioner	Last Name:
	First Name:
	Title/Credentials:
	Email: Phone:
Billing	Customer/Business name:
	Street address:
	City: State: Zip:
	PO# / UCAN#:
Shipping	<input type="checkbox"/> Shipping info is the same as Billing info. -OR-
	Shipping contact name:
	Facility name:
	Street address:
	City: State: Zip:

Finished Brace Angles

ANKLE ALIGNMENT (Dorsiflexion-Plantarflexion)

☐ Correct to 3-4° DF ☐ Correct to _____° ☐ DF ☐ PF ☐ Do not correct (cast alignment OK)

HINDFOOT ALIGNMENT

☐ Correct to vertical (if misaligned) ☐ Do not correct

FOREFOOT ALIGNMENT

NOTE: Drawings show finished orthosis

Choose forefoot alignment. Write posting height if needed— in. or mm.

Valgus	Varus	Neutral	Neutral	Varus	Valgus
<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/> _____
<input type="checkbox"/> Do not correct - keep as cast.			<input type="checkbox"/> Do not correct - keep as cast.		

Bottom Stabilization

☐ None— **Standard**

☐ Heel **-OR-** ☐ Midfoot **-OR-** ☐ Both **-OR-**

☐ Entire bottom stabilized with foam sole **-OR-**


☐ Entire bottom with non-skid cover **-OR-**

☐ Entire bottom stabilized with both foam sole **and** non-skid cover

NOTE: Varus or valgus forefoot alignments will receive stabilization on bottom of brace to support posted (raised) region

NOTE: Neutral forefoot alignments will not see foam on toe shelf

Construction | Features | Options



NOTE: If you don't choose an option, you will receive the **Standard**.

Posterior Height: ☐ Above malleoli (**Standard**) ☐ Specify: _____

NOTE: Cast height must be greater than brace height.

Inner Liner: ☐ Softy foam (**Standard**) (white only; outer frame extends to full-length)
☐ OP Flex (additional cost per brace) (outer frame extends full-length)
☐ Polyethylene (outer frame trimmed at sulcus)
☐ Add extra navicular padding (boney pronators)

Straps: **Standard** (see drawing) ☐ Add toe abduction strap

Add Anterior Strap: ☐ Non-stretch **-OR-** ☐ Elastic **NOTE:** straps will increase brace height
Add Posterior Strap: ☐ Non-stretch **-OR-** ☐ Elastic

Strap Color: ☐ White (**Standard**) ☐ Other: _____

Instep Strap Pattern: ☐ No pattern (**Standard**) ☐ Other: _____

Transfer Pattern: ☐ No Transfer (**Standard**)
☐ Pattern: _____

NOTE: Outer frame only; additional cost per brace.

Toe Rise and Cuff Padding Color: ☐ White (**Standard**) ☐ Other: _____

Toe Shelf

Outer Frame: ☐ Full-length ☐ Distal to met. heads ☐ Proximal to met. heads



Standard for
Softy foam liner



Standard for
Polyethylene liner



Inner Liner: ☐ Flexible — no containment **Standard** ☐ Medial containment



AND / OR

☐ Lateral containment



Special Instructions

☐ Rush order (adds \$20)

Thank you!