

Patient	Last name:
	First name:
	Birth date: <input type="checkbox"/> Bilateral <input type="checkbox"/> Left <input type="checkbox"/> Right
	Date cast:
Practitioner	Last Name:
	First Name:
	Title/Credentials:
	Email: Phone:
Billing	Customer/Business Name:
	Street address:
	City: State: Zip:
	PO# / UCAN#:
	<input type="checkbox"/> Shipping info is the same as Billing info. -OR-
Shipping	Shipping contact name:
	Facility name:
	Street Address:
	City: State: Zip:

Finished Brace Angles

ANKLE ALIGNMENT (Dorsiflexion-Plantarflexion)

☐ Correct to 3-4° DF ☐ Correct to _____° ☐ DF ☐ PF ☐ Do not correct (cast alignment OK)

HINDFOOT ALIGNMENT

☐ Correct to vertical (if misaligned) ☐ Do not correct

FOREFOOT ALIGNMENT

NOTE: Drawings show finished orthosis

Choose forefoot alignment. Write posting height if needed— in. or mm.

RIGHT	RIGHT	RIGHT	LEFT	LEFT	LEFT
Valgus	Varus	Neutral	Neutral	Varus	Valgus
<input type="checkbox"/> _____	<input type="checkbox"/> _____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> _____	<input type="checkbox"/> _____
<input type="checkbox"/> Do not correct - keep as cast.			<input type="checkbox"/> Do not correct - keep as cast.		

Bottom Stabilization

☐ None— **Standard**

☐ Heel **-OR-** ☐ Midfoot **-OR-** ☐ Both **-OR-**

☐ Entire bottom stabilized with foam sole **-OR-**


☐ Entire bottom with non-skid cover only **-OR-**

☐ Entire bottom stabilized with both foam sole **and** non-skid cover

NOTE: Varus or valgus forefoot alignments will receive stabilization on bottom of brace to support posted (raised) region

NOTE: Neutral forefoot alignments will not see foam on toe shelf

Construction | Features | Options



NOTE: If you don't choose an option, you will receive the **Standard**.

Posterior Height: ☐ $\frac{2}{3}$ to $\frac{3}{4}$ of lower leg length (**Standard**) ☐ Specify: _____

NOTE: Cast height must be greater than brace height.

Padding: Shaded areas above are **Standard**

☐ Omit medial pad and / or ☐ Omit lateral pad

☐ Add extra navicular padding (boney pronators)

Padding Color: ☐ White (**Standard**) ☐ Other: _____

Straps: **Standard** (see drawing) ☐ Add toe abduction strap

☐ Add instep strap w/ pad ☐ Add D-ring to ant. strap

Instep Strap Options: Color: _____ Pattern: _____



Transfer Pattern: ☐ No Transfer (**Standard**)

☐ Pattern: _____

NOTE: Additional cost per brace.

Trimlines

☐ Trimline A (**Standard**) **-OR-** ☐ Trimline B



Special Instructions

☐ **Rush order** (adds \$20)

Thank you!